

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70021907646000UEBERGABE0TENG000	Mrz 25	11,555	0,8007	1,456
DE70021907646000UEBERGABE2TENG000	Mrz 25	11,563	0,8003	1,451
DE70022599974SWMHLOGOERMAR010PN25	Mrz 25	11,483	0,8079	1,528
DE70022599974SWMHLOGOERMAR020PN25	Mrz 25	11,483	0,8079	1,528
DE70022599974SWMHLOWEINBERG00PN16	Mrz 25	11,48	0,7901	1,253
DE70022599974SWMHLOWENDEWEHR0PN16	Mrz 25	11,173	0,7458	0,394
DE70023107950GTRIEBES000000000000	Mrz 25	11,477	0,7924	1,365
DE700279046390000000000000002907	Mrz 25	11,461	0,7895	1,194
DE700279046390000000000000002914	Mrz 25	11,461	0,7895	1,194
DE700279066480000000000000000145	Mrz 25	11,492	0,7938	1,248
DE700279067120000000000000000181	Mrz 25	11,579	0,8003	1,467
DE700279067120000000000000000194	Mrz 25	11,579	0,8003	1,467
DE700279067220000000000000000358	Mrz 25	11,578	0,8004	1,47
DE700279067220000000000000000359	Mrz 25	11,577	0,8001	1,463
DE70027906722RG505862990000801572	Mrz 25	11,577	0,8001	1,463
DE70027907333RG503682760000948457	Mrz 25	11,559	0,7986	1,441
DE700279073340000000000000000352	Mrz 25	11,556	0,7981	1,429
DE70027907334RG506239720000819108	Mrz 25	11,556	0,7981	1,429
DE700279073380000000000000000281	Mrz 25	11,406	0,7986	1,221
DE700279073430000000000000000258	Mrz 25	11,406	0,7986	1,221
DE700279073430000000000000000260	Mrz 25	11,406	0,7986	1,221
DE700279073560000000000000000570	Mrz 25	11,406	0,7986	1,221
DE700279073560000000000000000580	Mrz 25	11,406	0,7986	1,221
DE700279073560000000000000000581	Mrz 25	11,406	0,7986	1,221
DE700279073560000000000000000582	Mrz 25	11,406	0,7986	1,221
DE70027907356RG502799770000928010	Mrz 25	11,406	0,7986	1,221
DE70027907356RG503235000000854443	Mrz 25	11,406	0,7986	1,221
DE7002790736800000000000000001973	Mrz 25	11,406	0,7986	1,221
DE7002790736800000000000000001978	Mrz 25	11,406	0,7986	1,221
DE7002790736800000000000000001979	Mrz 25	11,406	0,7986	1,221
DE7002790738700000000000000000368	Mrz 25	11,559	0,7986	1,441
DE7002790738700000000000000000371	Mrz 25	11,559	0,7986	1,441
DE7002790738700000000000000001251	Mrz 25	11,559	0,7986	1,441
DE7002790740700000000000000000870	Mrz 25	11,484	0,8087	1,55
DE7002790740700000000000000000876	Mrz 25	11,552	0,8003	1,455
DE7002790740700000000000000000880	Mrz 25	11,484	0,8087	1,55
DE7002790742200000000000000001587	Mrz 25	11,527	0,8049	1,498
DE7002790742200000000000000001606	Mrz 25	11,527	0,8049	1,498
DE7002790742200000000000000001607	Mrz 25	11,525	0,8048	1,494
DE7002790742200000000000000001609	Mrz 25	11,525	0,8048	1,494
DE7002790742200000000000000001610	Mrz 25	11,525	0,8048	1,494
DE7002790742200000000000000001654	Mrz 25	11,525	0,8048	1,494
DE70027907422RG502795790000887106	Mrz 25	11,527	0,8049	1,498
DE7002790742600000000000000001568	Mrz 25	11,527	0,8051	1,502
DE7002790742600000000000000001569	Mrz 25	11,527	0,8051	1,502
DE7002790742600000000000000001607	Mrz 25	11,527	0,8051	1,502
DE7002790755400000000000000000727	Mrz 25	11,577	0,8003	1,469
DE70027907554RG506256680000826294	Mrz 25	11,577	0,8003	1,469
DE7002790757000000000000000000953	Mrz 25	11,471	0,7921	1,359
DE7002790757000000000000000000955	Mrz 25	11,472	0,792	1,356
DE70027907570RG501729270000974964	Mrz 25	11,472	0,792	1,356
DE70027907570RG503920130000931525	Mrz 25	11,471	0,7921	1,359
DE7002790758000000000000000001806	Mrz 25	11,578	0,8005	1,476
DE7002790758000000000000000001816	Mrz 25	11,571	0,7994	1,442
DE7002790758000000000000000001818	Mrz 25	11,571	0,7994	1,442
DE7002790758000000000000000001819	Mrz 25	11,578	0,8005	1,476
DE7002790758000000000000000001820	Mrz 25	11,577	0,8001	1,463
DE7002790758000000000000000001911	Mrz 25	11,578	0,8005	1,476
DE7002790758000000000000000001914	Mrz 25	11,578	0,8005	1,476
DE70027907580RG504322200000908722	Mrz 25	11,578	0,8005	1,476
DE70027907580RG504322200000908837	Mrz 25	11,578	0,8005	1,476
DE70027907580RG504322200000971034	Mrz 25	11,578	0,8005	1,476
DE70027907580RG504522800000981741	Mrz 25	11,578	0,8005	1,476
DE70027907580RG506291850000834542	Mrz 25	11,578	0,8005	1,476
DE7002790758600000000000000000771	Mrz 25	11,576	0,7999	1,454
DE7002790758600000000000000000773	Mrz 25	11,577	0,8001	1,463
DE7002790758600000000000000000774	Mrz 25	11,576	0,7999	1,454
DE7002790758600000000000000000835	Mrz 25	11,577	0,7999	1,453
DE7002790758900000000000000000275	Mrz 25	11,531	0,7974	1,431
DE7002790758900000000000000000288	Mrz 25	11,531	0,7974	1,431
DE7002790758900000000000000000289	Mrz 25	11,531	0,7974	1,431
DE70027907589RG501389040000970072	Mrz 25	11,531	0,7974	1,431
DE7002790760700000000000000000326	Mrz 25	11,578	0,8004	1,47
DE7002790760700000000000000000327	Mrz 25	11,578	0,8004	1,47

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7002790761300000000000000000263	Mrz 25	11,577	0,8001	1,463
DE7002790761300000000000000000264	Mrz 25	11,577	0,8001	1,463
DE7002790761300000000000000000279	Mrz 25	11,578	0,8004	1,47
DE7002790761300000000000000000280	Mrz 25	11,578	0,8004	1,47
DE7002790761300000000000000000281	Mrz 25	11,578	0,8004	1,47
DE7002790761300000000000000000282	Mrz 25	11,578	0,8004	1,47
DE7002790761300000000000000000283	Mrz 25	11,577	0,8001	1,463
DE7002790761300000000000000000285	Mrz 25	11,577	0,8001	1,463
DE7002790761300000000000000000286	Mrz 25	11,578	0,8004	1,47
DE7002790761300000000000000000290	Mrz 25	11,577	0,8001	1,463
DE70027907613RG504410200000950074	Mrz 25	11,58	0,8006	1,477
DE70027907616000000000000000000638	Mrz 25	11,494	0,7941	1,253
DE70027907629000000000000000001392	Mrz 25	11,551	0,7984	1,431
DE70027907629000000000000000001393	Mrz 25	11,572	0,7999	1,457
DE70027907629000000000000000001395	Mrz 25	11,572	0,7999	1,457
DE70027907629000000000000000001396	Mrz 25	11,572	0,7999	1,457
DE70027907629000000000000000001397	Mrz 25	11,572	0,7999	1,457
DE70027907629000000000000000001398	Mrz 25	11,551	0,7984	1,431
DE70027907629000000000000000001402	Mrz 25	11,572	0,7999	1,457
DE70027907629000000000000000001478	Mrz 25	11,572	0,7999	1,457
DE70027907629RG504269690000884785	Mrz 25	11,582	0,801	1,476
DE70027907629RG504433200000957258	Mrz 25	11,572	0,7999	1,457
DE70027907629RG504518630000980507	Mrz 25	11,572	0,7999	1,457
DE70027907629RG504525000000820534	Mrz 25	11,572	0,7999	1,457
DE70027907639000000000000000000921	Mrz 25	11,572	0,7999	1,457
DE70027907639000000000000000000923	Mrz 25	11,572	0,7999	1,457
DE70027907639000000000000000000924	Mrz 25	11,572	0,7999	1,457
DE70027907639RG503997230000864954	Mrz 25	11,572	0,7999	1,457
DE70027907646000000000000000000206	Mrz 25	11,563	0,8003	1,451
DE70027907646RG504667210000698335	Mrz 25	11,55	0,801	1,457
DE70027907747RG504342280000917807	Mrz 25	11,547	0,8011	1,454
DE70027907751000000000000000002119	Mrz 25	11,549	0,8009	1,454
DE70027907751000000000000000002120	Mrz 25	11,547	0,8011	1,454
DE70027907751000000000000000002232	Mrz 25	11,552	0,803	1,477
DE70027907751RG504461110000965580	Mrz 25	11,547	0,8011	1,454
DE70027907751RG506223120000804499	Mrz 25	11,539	0,8029	1,477
DE70027907768000000000000000002220	Mrz 25	11,547	0,8013	1,448
DE70027907768000000000000000002222	Mrz 25	11,547	0,8013	1,448
DE70027907768RG501800230000836830	Mrz 25	11,547	0,8013	1,448
DE70027907768RG502700360000952511	Mrz 25	11,547	0,8013	1,448
DE70027907774000000000000000000364	Mrz 25	11,491	0,7935	1,244
DE70027907819000000000000000000825	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000000967	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000000970	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000000972	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000000974	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000000976	Mrz 25	11,555	0,7979	1,423
DE70027907819000000000000000001007	Mrz 25	11,555	0,7979	1,423
DE70027907819RG501710930000957322	Mrz 25	11,555	0,7979	1,423
DE70027907819RG502708320000915787	Mrz 25	11,555	0,7979	1,423
DE70027907907000000000000000000330	Mrz 25	11,558	0,7983	1,433
DE70027907907000000000000000000331	Mrz 25	11,558	0,7983	1,433
DE700279079070000000000000000001189	Mrz 25	11,558	0,7983	1,433
DE700279079070000000000000000001228	Mrz 25	11,558	0,7983	1,433
DE700279079070000000000000000001238	Mrz 25	11,558	0,7982	1,432
DE700279079070000000000000000001243	Mrz 25	11,558	0,7983	1,433
DE700279079070000000000000000001260	Mrz 25	11,558	0,7983	1,433
DE700279079070000000000000000002004	Mrz 25	11,558	0,7983	1,433
DE70027907907RG506217380000820526	Mrz 25	11,558	0,7983	1,433
DE70027907919RG501705350000958065	Mrz 25	11,561	0,7989	1,454
DE70027907955000000000000000000472	Mrz 25	11,557	0,798	1,425
DE70027907958000000000000000000152	Mrz 25	11,473	0,7921	1,358
DE70027907980RG501391630000891752	Mrz 25	11,475	0,7923	1,363
DE70027907987RG504343380000918588	Mrz 25	11,571	0,7994	1,442
DE70027996523000000000000000001782	Mrz 25	11,505	0,7947	1,288
DE70027996523000000000000000001784	Mrz 25	11,524	0,7958	1,336
DE70027996523000000000000000001798	Mrz 25	11,524	0,7958	1,336
DE70027996524000000000000000002222	Mrz 25	11,505	0,7945	1,279
DE70027996524000000000000000002225	Mrz 25	11,402	0,8003	1,261
DE70027996524000000000000000002228	Mrz 25	11,402	0,8003	1,261
DE70027996524000000000000000002246	Mrz 25	11,402	0,8003	1,261
DE70027996524000000000000000002269	Mrz 25	11,402	0,8003	1,261
DE70027996528000000000000000000381	Mrz 25	11,504	0,7943	1,277
DE70027996528000000000000000000841	Mrz 25	11,504	0,7943	1,277

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7002799652800000000000000000846	Mrz 25	11,504	0,7943	1,277
DE7002799652800000000000000000847	Mrz 25	11,504	0,7943	1,277
DE7002799652800000000000000000849	Mrz 25	11,504	0,7943	1,277
DE7002799652800000000000000000850	Mrz 25	11,504	0,7943	1,277
DE70027996528RG505085880000799845	Mrz 25	11,504	0,7943	1,277
DE7002799853000000000000000000058	Mrz 25	11,474	0,7971	1,35
DE70027998530RG501665980000854378	Mrz 25	11,474	0,7971	1,35
DE70027998547000000000000000000680	Mrz 25	11,474	0,7971	1,35
DE70027998547000000000000000000684	Mrz 25	11,474	0,7971	1,35
DE700279985530000000000000000002487	Mrz 25	11,555	0,7983	1,436
DE700279985530000000000000000002497	Mrz 25	11,555	0,7983	1,436
DE700279985530000000000000000002499	Mrz 25	11,555	0,7983	1,436
DE700279985530000000000000000002501	Mrz 25	11,555	0,7983	1,436
DE700279985530000000000000000002504	Mrz 25	11,555	0,7983	1,436
DE70027998553RG503299400000717105	Mrz 25	11,555	0,7983	1,436
DE700279986170000000000000000001261	Mrz 25	11,388	0,8156	1,597
DE700279986170000000000000000001262	Mrz 25	11,388	0,8156	1,597
DE700279986170000000000000000001263	Mrz 25	11,383	0,8159	1,6
DE70027998617RG5008006200000840224	Mrz 25	11,388	0,8156	1,597
DE70027998617RG5044353800000958167	Mrz 25	11,388	0,8156	1,597
DE70027998631000000000000000000477	Mrz 25	11,384	0,8157	1,591
DE70027998631000000000000000000484	Mrz 25	11,384	0,8157	1,591
DE70027998631000000000000000000530	Mrz 25	11,377	0,8157	1,59
DE70027998631000000000000000000535	Mrz 25	11,377	0,8157	1,59
DE70027998631RG506204010000805672	Mrz 25	11,377	0,8157	1,59
DE70027998634000000000000000000479	Mrz 25	11,474	0,7971	1,35
DE70027998634RG500517430000884629	Mrz 25	11,474	0,7971	1,35
DE70027998634RG500517430000985177	Mrz 25	11,474	0,7971	1,35
DE70027998634RG501638350000901493	Mrz 25	11,474	0,7971	1,35
DE70027998639000000000000000000341	Mrz 25	11,474	0,7971	1,35
DE70027998639000000000000000000349	Mrz 25	11,474	0,7971	1,35
DE700279986460000000000000000002390	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002406	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002409	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002422	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002424	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002426	Mrz 25	11,487	0,8059	1,507
DE700279986460000000000000000002428	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002465	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002496	Mrz 25	11,483	0,8065	1,514
DE700279986460000000000000000002505	Mrz 25	11,483	0,8065	1,514
DE70027998646RG501280230000967718	Mrz 25	11,483	0,8065	1,514
DE70027998646RG501551530000921005	Mrz 25	11,483	0,8065	1,514
DE70027998646RG501603620000972331	Mrz 25	11,483	0,8065	1,514
DE70027998646RG505610820000820530	Mrz 25	11,483	0,8065	1,514
DE70027998660000000000000000000548	Mrz 25	11,388	0,8156	1,597
DE70027998660000000000000000000555	Mrz 25	11,388	0,8156	1,597
DE70027998663000000000000000000032	Mrz 25	11,541	0,8024	1,512
DE700279986660000000000000000000514	Mrz 25	11,484	0,793	1,22
DE70027998666RG500292760000979320	Mrz 25	11,484	0,793	1,22
DE70027998666RG500292760000981515	Mrz 25	11,484	0,793	1,22
DE70027998666RG5008638300000990997	Mrz 25	11,484	0,793	1,22
DE70027998666RG506170060000723651	Mrz 25	11,484	0,793	1,22
DE700279986670000000000000000000620	Mrz 25	11,556	0,7985	1,442
DE700279986670000000000000000000622	Mrz 25	11,556	0,7985	1,442
DE700279986670000000000000000000623	Mrz 25	11,556	0,7985	1,442
DE700279986690000000000000000000078	Mrz 25	11,556	0,7989	1,448
DE700279986730000000000000000000770	Mrz 25	11,556	0,7984	1,436
DE700279986730000000000000000000807	Mrz 25	11,554	0,7981	1,429
DE700279986730000000000000000000816	Mrz 25	11,556	0,7984	1,436
DE700279986730000000000000000001240	Mrz 25	11,555	0,7981	1,428
DE70027998673RG504255080000877769	Mrz 25	11,556	0,7982	1,427
DE70027998673RG504437880000959170	Mrz 25	11,556	0,7984	1,436
DE70027998673RG504523430000981972	Mrz 25	11,556	0,7984	1,436
DE700279987010000000000000000001850	Mrz 25	11,484	0,793	1,22
DE700279987010000000000000000001853	Mrz 25	11,484	0,793	1,22
DE700279987010000000000000000001868	Mrz 25	11,484	0,793	1,22
DE700279987040000000000000000001499	Mrz 25	11,484	0,793	1,22
DE70027998704RG501001350000908780	Mrz 25	11,527	0,8035	1,47
DE700279987080000000000000000001074	Mrz 25	11,484	0,793	1,22
DE700279987080000000000000000001077	Mrz 25	11,484	0,793	1,22
DE700279987080000000000000000001078	Mrz 25	11,484	0,793	1,22
DE700279987160000000000000000001786	Mrz 25	11,504	0,8036	1,498
DE700279987160000000000000000001787	Mrz 25	11,504	0,8036	1,498

Report: Gasbeschaffenhheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70027998716RG504426260000955301	Mrz 25	11,504	0,8036	1,498
DE700279987240000000000000003202	Mrz 25	11,557	0,798	1,425
DE700279987240000000000000003203	Mrz 25	11,558	0,7981	1,427
DE700279987240000000000000003204	Mrz 25	11,557	0,798	1,425
DE700279987240000000000000003238	Mrz 25	11,556	0,798	1,43
DE70027998724RG503940700000806044	Mrz 25	11,558	0,7981	1,425
DE70027998724RG505082560000821376	Mrz 25	11,557	0,798	1,425
DE70027998724RG506210160000805763	Mrz 25	11,557	0,798	1,425
DE700279987390000000000000001298	Mrz 25	11,557	0,7981	1,428
DE700279987430000000000000001156	Mrz 25	11,557	0,7981	1,428
DE700279987430000000000000001157	Mrz 25	11,505	0,7943	1,278
DE700279987430000000000000001177	Mrz 25	11,505	0,7943	1,278
DE70027998743RG502655820000903530	Mrz 25	11,505	0,7943	1,278
DE700279987440000000000000001138	Mrz 25	11,484	0,793	1,22
DE700279987490000000000000000766	Mrz 25	11,507	0,795	1,289
DE700279991000000000000000000433	Mrz 25	11,362	0,7966	1,248
DE700279991000000000000000000434	Mrz 25	11,354	0,796	1,231
DE700279991000000000000000000435	Mrz 25	11,362	0,7966	1,248
DE700279991000000000000000000512	Mrz 25	11,354	0,796	1,231
DE70027999100RG502898050000891201	Mrz 25	11,354	0,796	1,231
DE70027999100RG503075720000904783	Mrz 25	11,35	0,7959	1,229
DE700279991890000000000000001854	Mrz 25	11,359	0,7964	1,244
DE700279991890000000000000001856	Mrz 25	11,36	0,7965	1,247
DE700279991890000000000000001858	Mrz 25	11,359	0,7964	1,244
DE700279991890000000000000001859	Mrz 25	11,359	0,7964	1,244
DE700279991890000000000000001889	Mrz 25	11,326	0,7937	1,173
DE700279991890000000000000001891	Mrz 25	11,359	0,7964	1,244
DE700279991890000000000000001892	Mrz 25	11,359	0,7964	1,244
DE700279991890000000000000002009	Mrz 25	11,359	0,7964	1,244
DE70027999189RG500544790000801785	Mrz 25	11,36	0,7965	1,247
DE70027999189RG505902360000820354	Mrz 25	11,36	0,7965	1,247
DE70027999189RG506231460000820533	Mrz 25	11,36	0,7965	1,247
DE70027999189RG506311550000837153	Mrz 25	11,326	0,7937	1,173
DE700279991920000000000000001972	Mrz 25	11,493	0,8037	1,457
DE700279991920000000000000001973	Mrz 25	11,493	0,8037	1,457
DE700279991920000000000000001974	Mrz 25	11,493	0,8037	1,457
DE700279991920000000000000001976	Mrz 25	11,493	0,8038	1,457
DE700279991920000000000000001982	Mrz 25	11,493	0,8037	1,457
DE700279991980000000000000001355	Mrz 25	11,398	0,8002	1,338
DE700279991980000000000000001356	Mrz 25	11,478	0,8014	1,547
DE700279991980000000000000001357	Mrz 25	11,273	0,7913	1,443
DE700279993100000000000000000900	Mrz 25	11,497	0,8029	1,506
DE700279993100000000000000000901	Mrz 25	11,503	0,8033	1,512
DE700279993100000000000000000955	Mrz 25	11,505	0,8042	1,47
DE70027999310RG501486740000877507	Mrz 25	11,503	0,8033	1,512
DE70027999310RG502496510000898867	Mrz 25	11,497	0,8029	1,506
DE700279993260000000000000001740	Mrz 25	11,499	0,8041	1,595
DE700279993260000000000000001742	Mrz 25	11,475	0,8009	1,539
DE700279993260000000000000001744	Mrz 25	11,475	0,8009	1,539
DE70027999326RG506253300000817522	Mrz 25	11,475	0,8009	1,539
DE700279993340000000000000001689	Mrz 25	11,506	0,8041	1,47
DE700279993340000000000000001699	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001700	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001701	Mrz 25	11,505	0,8042	1,47
DE700279993340000000000000001704	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001705	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001707	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001709	Mrz 25	11,503	0,8034	1,458
DE700279993340000000000000001778	Mrz 25	11,506	0,8041	1,47
DE70027999334RG5044002850000920114	Mrz 25	11,506	0,8041	1,47
DE70027999334RG504243740000873075	Mrz 25	11,506	0,8041	1,47
DE70027999334RG504353600000924188	Mrz 25	11,506	0,8041	1,47
DE70027999334RG504366990000948998	Mrz 25	11,506	0,8041	1,47
DE70027999334RG504436300000958390	Mrz 25	11,506	0,8041	1,47
DE70027999334RG50442120000960322	Mrz 25	11,503	0,8034	1,458
DE70027999334RG504453860000963884	Mrz 25	11,506	0,8041	1,47
DE70027999334RG504474680000969312	Mrz 25	11,506	0,8041	1,47
DE70027999334RG505394980000815203	Mrz 25	11,511	0,8052	1,488
DE70027999334RG506198200000798840	Mrz 25	11,506	0,8041	1,47
DE70027999334RG506246010000823605	Mrz 25	11,506	0,8041	1,47
DE70027999334RG506248900000815672	Mrz 25	11,506	0,8041	1,47
DE700279994280000000000000001007	Mrz 25	11,395	0,8002	1,334
DE700279994280000000000000001017	Mrz 25	11,395	0,8002	1,334
DE700279994280000000000000001019	Mrz 25	11,521	0,8033	1,444

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE70027999428000000000000000001020	Mrz 25	11,521	0,8033	1,444
DE70027999428000000000000000001023	Mrz 25	11,521	0,8033	1,444
DE70027999428000000000000000001067	Mrz 25	11,395	0,8002	1,334
DE70027999428000000000000000001115	Mrz 25	11,521	0,8033	1,444
DE70027999428RG501411900000920330	Mrz 25	11,521	0,8033	1,444
DE70027999428RG504451790000963098	Mrz 25	11,521	0,8033	1,444
DE70027999428RG505073200000801526	Mrz 25	11,395	0,8002	1,334
DE70027999428RG50569908000820529	Mrz 25	11,521	0,8033	1,444
DE70027999438000000000000000002031	Mrz 25	11,494	0,8026	1,519
DE70027999438000000000000000002034	Mrz 25	11,494	0,8026	1,519
DE70027999438000000000000000002035	Mrz 25	11,494	0,8026	1,519
DE70027999438000000000000000002036	Mrz 25	11,494	0,8026	1,519
DE70027999438000000000000000002037	Mrz 25	11,494	0,8026	1,519
DE70027999438000000000000000002045	Mrz 25	11,494	0,8026	1,519
DE70027999438RG506232610000815186	Mrz 25	11,505	0,8068	1,54
DE70027999439RG500377450000917638	Mrz 25	11,395	0,7995	1,333
DE70027999439RG503835370000955302	Mrz 25	11,403	0,8002	1,35
DE70027999441RG501009020000764123	Mrz 25	10,615	0,769	3,872
DE70027999444000000000000000000823	Mrz 25	11,489	0,8018	1,524
DE70027999444000000000000000000838	Mrz 25	11,489	0,8018	1,524
DE70027999444000000000000000000839	Mrz 25	10,603	0,7681	3,903
DE70027999444000000000000000000843	Mrz 25	11,489	0,8018	1,524
DE70027999444000000000000000000849	Mrz 25	11,489	0,8018	1,524
DE70027999444000000000000000000852	Mrz 25	10,603	0,7681	3,903
DE70027999444RG502570900000817761	Mrz 25	11,489	0,8018	1,524
DE70027999444RG504227230000863109	Mrz 25	11,489	0,8018	1,524
DE70027999444RG504227230000885562	Mrz 25	11,489	0,8018	1,524
DE70027999448000000000000000001249	Mrz 25	11,476	0,8011	1,542
DE70027999448000000000000000001250	Mrz 25	11,48	0,8007	1,537
DE70027999518000000000000000001309	Mrz 25	11,495	0,7944	1,259
DE70027999518000000000000000001317	Mrz 25	11,495	0,7944	1,259
DE70027999518000000000000000001318	Mrz 25	11,495	0,7944	1,259
DE70027999518000000000000000001321	Mrz 25	11,495	0,7944	1,259
DE70027999518000000000000000001328	Mrz 25	11,495	0,7944	1,259
DE70027999625000000000000000001283	Mrz 25	11,373	0,7961	1,515
DE70027999625000000000000000001284	Mrz 25	11,373	0,7961	1,515
DE70027999625000000000000000001288	Mrz 25	11,373	0,7961	1,515
DE70027999625000000000000000001309	Mrz 25	11,373	0,7961	1,515
DE70027999625000000000000000001316	Mrz 25	11,373	0,7961	1,515
DE70027999625RG500588730000892955	Mrz 25	11,373	0,7961	1,515
DE70027999625RG502135970000911722	Mrz 25	11,373	0,7961	1,515
DE70027999625RG502135970000911723	Mrz 25	11,373	0,7961	1,515
DE70027999631000000000000000000412	Mrz 25	11,114	0,7837	2,411
DE70027999631000000000000000000413	Mrz 25	11,114	0,7837	2,411
DE70027999631RG503530960000958682	Mrz 25	11,114	0,7837	2,411
DE70027999634RG501962510000893576	Mrz 25	11,361	0,7966	1,248
DE70027999638000000000000000000158	Mrz 25	10,578	0,7706	4,124
DE70027999638RG503701500000933128	Mrz 25	10,578	0,7706	4,124
DE70027999713000000000000000000412	Mrz 25	11,323	0,7927	1,154
DE70027999718000000000000000000978	Mrz 25	11,327	0,7885	1,723
DE70027999718RG500827010000810033	Mrz 25	11,438	0,7912	1,368
DE70027999718RG501129650000920283	Mrz 25	11,486	0,7925	1,209
DE70027999718RG503473110000921107	Mrz 25	11,486	0,7925	1,209
DE70027999718RG504558170001001460	Mrz 25	11,438	0,7912	1,368
DE70027999735RG504313960000936484	Mrz 25	11,487	0,7947	1,271
DE70027999749000000000000000001600	Mrz 25	11,491	0,796	1,294
DE70027999749000000000000000001609	Mrz 25	11,491	0,796	1,294
DE70027999749000000000000000001610	Mrz 25	11,491	0,796	1,294
DE70027999749000000000000000001612	Mrz 25	11,491	0,796	1,294
DE70027999749000000000000000001613	Mrz 25	11,491	0,796	1,294
DE70027999752000000000000000001611	Mrz 25	11,491	0,796	1,294
DE70027999752RG501081560000865418	Mrz 25	11,491	0,796	1,294
DE70027999752RG504318960000906931	Mrz 25	11,491	0,796	1,294
DE70027999755000000000000000001921	Mrz 25	9,931	0,7979	1,047
DE70027999755000000000000000001922	Mrz 25	9,931	0,7979	1,047
DE70027999755000000000000000001929	Mrz 25	11,487	0,7946	1,27
DE70027999755000000000000000002003	Mrz 25	11,487	0,7948	1,273
DE70027999755000000000000000002006	Mrz 25	11,487	0,7948	1,273
DE70027999755RG501102750000878896	Mrz 25	9,931	0,7979	1,047
DE70027999759000000000000000001072	Mrz 25	11,487	0,7951	1,276
DE70027999759000000000000000001073	Mrz 25	11,489	0,7955	1,282
DE70027999759000000000000000001080	Mrz 25	11,487	0,7951	1,277
DE70027999759RG500564160000899822	Mrz 25	11,489	0,7955	1,282
DE70027999759RG500564160000906906	Mrz 25	11,489	0,7955	1,282

Report: Gasbeschaffenheiten je Ausspeise-Messstelle

Zeitraum: 01.03.2025/06 - 01.04.2025/06
Erstellt: 09.04.2025 14:45:46

Zaehlpunkt (MeLo)	Monat	Hseff	Rhon	CO2
DE7009760760700025001500000000G000	Mrz 25	11,577	0,8001	1,463
DE7009760760700025001500000000G001	Mrz 25	11,577	0,8001	1,463
DE7009760760700025003390000000G001	Mrz 25	11,577	0,8002	1,463
DE7009760760700025003390000000G002	Mrz 25	11,577	0,8002	1,463
DE70105599510G00000000000000167714	Mrz 25	11,396	0,7991	1,326
DE701060986170100000000000HESPG001	Mrz 25	11,474	0,7971	1,35
DE701060986170100000000000HESPG002	Mrz 25	11,474	0,7971	1,35
DE701060986170100000000000SESPG001	Mrz 25	11,416	0,8171	1,661
DE701060986170100000000000SESPG002	Mrz 25	11,416	0,8171	1,661
DE701069075540NKP00000000000000AGA	Mrz 25	11,579	0,8003	1,467
DE701069075540NKP00000000000000HERMSDORF	Mrz 25	11,579	0,8003	1,467
DE701069075540NKP00000000000000ROBENRUSITZ	Mrz 25	11,576	0,8001	1,461
DE701069075540NKP00000000000000TREBNITZGWG	Mrz 25	11,577	0,8002	1,466
DE701069075540NKP00000000000000TREBNITZORT	Mrz 25	11,577	0,8002	1,466
DE701069075540NKP00000000000000CRETZSCHWITZ	Mrz 25	11,579	0,8003	1,467
DE701069075540NKP00000000000000DORNAROEPSSEN	Mrz 25	11,577	0,8001	1,463
DE70108799734G70321300000000000000	Mrz 25	11,492	0,7937	1,249
DE70108799734G703213000000000000001	Mrz 25	11,492	0,7937	1,249